





TWO CORE CABLE LEITUNG ZWEIADRIG CABLE A DEUX CONDUCTEURS CAVO A DUE CONDUTTORI	}	THERMORAD 2x0.5mm ² ASC 77799 A
STRAIN RELIEF CABLE ZUGENTLASTUNG KABEL ARRET DE CABLE SCARICO DI TRAZIONE DEL CAVO	}	MAX.50N $\vartheta = 20^{\circ}\text{C}$
BEND RADIUS CABLE BIEGERADIUS KABEL RAYON DE COURBURE DE CABLE RAGGIO DI CURVATURA DEL CAVO	}	R 15 MIN, $\alpha 90^{\circ}$
* ABRASION RESISTANT PRINT ABRIEBFESTER AUFDRUCK IMPRESSION RESISTANTE A L' ABRASION IMPRONTA RESISTENTE ALL' ABRASIONE	}	RAL 9001

IP 69 K
ISO 20653



General Specification: JED-334-0					Copyright WABCO®		<div>WABCO</div> <div>INDUCTIVE SENSOR WITH PLUG STABSSENSOR MIT KUPPLUNGSSTECKER CAPTEUR AVEC CONNECTEUR MALE SENSORE INDUTTIVO CON SPINOTTO</div>																					
Further Technical Data:					Date							Signature																
Doc. Code:		Sheet:			To							Drawn																
General Tolerances JED-261					2011-05-17							Harnischmacher																
<div><div>Range of Nominal Dimensions (± mm)</div><table><tr><td>Class 1)</td><td>≤ 50</td><td>> 50 ≤ 180</td><td>> 180 ≤ 400</td><td>> 400</td></tr><tr><td>Fine</td><td>0.5</td><td>1.0</td><td>1.5</td><td>2.0</td></tr><tr><td>Medium</td><td>1.0</td><td>2.0</td><td>3.0</td><td>4.0</td></tr><tr><td>Coarse</td><td>2.0</td><td>3.5</td><td>5.0</td><td>6.5</td></tr></table><div>±3°</div></div>					Class 1)	≤ 50	> 50 ≤ 180	> 180 ≤ 400	> 400	Fine	0.5	1.0	1.5	2.0	Medium	1.0	2.0	3.0	4.0	Coarse	2.0	3.5	5.0	6.5	Checked			
					Class 1)	≤ 50	> 50 ≤ 180	> 180 ≤ 400	> 400																			
					Fine	0.5	1.0	1.5	2.0																			
					Medium	1.0	2.0	3.0	4.0																			
Coarse	2.0	3.5	5.0	6.5																								
2011-05-18		Gruendker		Expert																								
		Hoefler																										
<div><div>Mass</div><div>Scale</div><div>/ KG</div><div>Size</div><div>CAD System</div></div>					1:1 2:1		Material No. 441 032 857 0			Date of first issue: 1998-05-05																		
										Doc. Code			Language		Sheet													
					053			ML		1/1																		
					Tapped Holes acc.					<div><div>A 2</div><div>Pro/E</div><div></div></div>		ECN-No.		Revision		Techn. Resp.		Replacement for										
1) Tolerance Class Applied Crossmarked					155448		1x E		6310																			