



INSTALLATION POSITION :  
 EINBAULAGE :  
 POSITION D' INSTALLATION :  
 POSIZIONI DI MONTAGGIO :

VOLTAGE :  
 SPANNUNG : 24V ±8V DC \*  
 VOLTAGE :  
 VOLTAGGIO :

THERMAL RANGE OF APPLICATION :  
 THERM. ANWENDUNGSBEREICH : -40°...+75°C  
 GAMME D' APPLICATION THERMIQUE :  
 CAMPO DI APPLICAZIONE TERMICA :

STORING TEMPERATURE :  
 LAGERTEMPORATUR : -40°...+90°C \*  
 TEMPERATURE D' UTILISATION :  
 TEMPERATURA DI ESERCIZIO :

PROTECT TYPE :  
 SCHUTZART : IP 30 (IEC 529)  
 MODE DE PROTECTION :  
 MODO DI PROTEZIONE :

MALE MULTIPOINT CONNECTOR: SURFACE PROTECTION : TINNED  
 MESSERLEISTE: OBERFLAECHENSCHUTZ : VERZINNT  
 CONNECTEUR MALE MULTIBROCHE: PROTECTION DE SURFACE : ETAME  
 SPINE MULTIPA: PROTEZIONE SUPERFICIALE : STAGNATO

\* FURTHER TECHNICAL DATA SEE PRODUCT SPECIFICATION  
 \* WEITERE TECHNISCHE DATEN SIEHE PRODUKTSPEZIFIKATION  
 \* POUR AUTRES DONNEES TECHNIQUES VOIR PRODUCT SPECIFICATION  
 \* PER ULTERIORI DATI TECHNICI VERDERE SPECIFICA DI PRODOTTO

\* \* DATE OF MANUFACTURE :  
 HERSTELLDATUM : JED-226  
 DATE DE FABRICATION :  
 DATA DI FABBRICAZIONE :

\* \* \* SERIAL NUMBER GREATER THAN : 36000 Ⓢ  
 FORTSCHRITZAHN GROESSER ALS :  
 NUMERO DE SERIE PLUS GRAND QUE :  
 NUMERO DI SERIE PIU GRANDE DI :

General Specification: JED-334-0		Copyright WABCO		<b>WABCO</b>	
Further Technical Data:		Date	Signature		
Doc. Code: Sheet: To		08-06-18	PFENNIG	ELECTRONIC EBS ELEKTRONIK EBS-ZENTRALMODUL ELECTRONIQUE EBS 4S/4M ELETTRONICA EBS	
General Tolerances JED-261		Checked		08-06-18 STEHR	
Range of Nominal Dimensions (± mm)		Especial		HEINRICH	
Class	1) < 50	> 50 < 180	> 180 < 400	> 400	<
Fine	0.5	1.0	1.5	2.0	
Medium	X 1.0	2.0	3.0	4.0	±3*
Coarse	2.0	3.5	5.0	6.5	
Tapped Holes acc.		Mass	Scale	Material No.	
1) Tolerance Class Applied Crossmarked		0.863	1:1	446 135 018 0	
		Size	CAD System	ECN-No. 116049	
		A 1	CCD	Tech. Resp. B	
				Doc. Code Language Sheet	
				005 ML 1/1	
				Replacemnt for	
				9830_E	

100mm