



MEDIUM : AIR  
MEDIUM : LUFT  
FLUIDE : AIR  
FLUIDO : ARIA

OPERATING TORQUE :  
DREHMOMENT ZUR BETÄTIGUNG : MAX. 1.5 Nm  
COUPLE DE COMMANDE :  
COPPIA DI COMANDO :

THERMAL RANGE OF APPLICATION :  
THERMISCHER ANWENDBEREICH :  
GAMME D'APPLICATION THERMIQUE : -40°C... +80°C  
CAMPO DI APPLICAZIONE TERMICA :

NOMINAL DIAMETER :  
NENNWEITE :  
DIAMÈTRE NOMINAL : MIN. 12.6 mm<sup>2</sup> ( $\approx \varnothing 4$ )  
DIAMETRO NOMINALE :

MAX. PERMISSIBLE WORKING PRESSURE :  
MAX. ZULAESSIGER BETRIEBSDRUCK :  
PRESSION D'UTILIZATION MAXI ADMISSIBLE :  $p_e = 11 \text{ bar}$   
PRESSIONE DI ESERCIZIO MAX. AMMISSIBLE :

**1** SUPPLY  
VORRAT  
ALIMENTATION  
ALIMENTAZIONE

**21/22** DELIVERY PRESSURE  
AUSGESTEUERTER DRUCK  
PRESSION DELIVREE  
PRESSIONE EROGATA

**3** EXHAUST  
ENTLUEFTUNG  
ECHAPPEMENT  
SCARICO

GENERAL SPECIFICATION:		JED-334		
FURTHER TECHNICAL DATA:				
DOC. CODE:		SHEET: TO		
GENERAL TOLERANCES				
CLASS	RANGE OF NOMINAL DIMENSIONS ( ± mm )			A
	≤ 50	> 50 ≤ 180	> 180 ≤ 400	
FINE	0,5	1,0	1,5	2,0
MEDIUM	1,0	2,0	3,0	4,0
COARSE	2,0	3,5	5,0	6,5
TAPPED HOLES ACC. ISO 4039 / JED-152				± 3'
1) TOLERANCE CLASS APPLIED CROSSMARKED				

DATE	SIGNATURE
00-05-29	VOGES
CHECKED:	DIEKMEYER
STANDARDIZATION:	

CADAM-DRAWING COPYRIGHT		<b>WABCO</b>	
DRAWN:		4/3 DIRECTIONAL CONTROL VALVE	
CHECKED:		4/3 WEGEVENTIL	
STANDARDIZATION:		DISTRIBUTEUR 4/3	
VALVOLA 4/3			
MASS	SCALE	PRODUCT IDENTIFICATION NO.	
KG	1:1	463 037 202 0	
SIZE	T.R.I.	DOC. CODE	SHEET
A 2	140	605	1/1
SHAPE CODE		REPLACEMENT FOR	
A 2		884 012 931 0	