

Non è permesso consegnare o terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi  
 ni o terzi o riprodurre questo documento, né utilizzare il contenuto o renderlo comunque noto a terzi  
 E' vietata espressamente la ristampa o l'uso non autorizzato senza permesso scritto dalla WABCO. Tutti i diritti sono riservati.  
 E' vietata espressamente la ristampa o l'uso non autorizzato senza permesso scritto dalla WABCO. Tutti i diritti sono riservati.  
 Copying of this document and giving it to others and the use or communication of the contents thereof, are forbidden without express  
 permission of the copyright owner. All rights are reserved. The copyright in this document is the property of WABCO. All rights  
 are reserved in the event of the grant of patent or registration of a utility model or design. This document is the subject of copyright.


Toute communication ou reproduction de ce document, toute exploitation ou communication de son contenu sont interdites, sauf  
 autorisation expresse. Toute réimpression ou utilisation non autorisée sans la permission écrite de la WABCO est formellement interdite.  
 Toute communication ou reproduction de ce document, toute exploitation ou communication de son contenu sont interdites, sauf  
 autorisation expresse. Toute réimpression ou utilisation non autorisée sans la permission écrite de la WABCO est formellement interdite.  
 Weitergabe sowie Vervielfältigung dieser Unterlagen, Verwertung und Mitteilung ihres Inhalts nicht gestattet, soweit  
 nicht ausdrücklich zugestanden. Zuwiderhandlungen stellen einen strafrechtlichen Missbrauch dar und verpflichten zu Schadensersatz.  
 Alle Rechte für den Fall der Patentierung oder Gebrauchsmuster-Eintragung vorbehalten.

| NOMINAL VALUE<br>A | OUTER Ø<br>B | INNER Ø<br>C | WALL THICKNESS<br>D | BENDING RADIUS<br>E | MATERIAL **<br>(ACC. TO DIN 74324)<br>F |                        | MANUFACTURER'S SYMBOL<br>G  | DATE OF MANUFACTURE<br>H                | TRADEMARK<br>I   | MASS                          | COLOUR |
|--------------------|--------------|--------------|---------------------|---------------------|---|------------------------|-----------------------------|---|--|-------------------------------|--------|
|                    |              |              |                     |                     | PREFERABLE                              | ALTERNATIVE            |                             |   |  |                               |        |
| 8x1<br>(COIL 50 m) | 8            | 6            | MIN. 0.9            | MIN. R40            | PA11-PHL<br>PA12-PHL<br>PA12-HIPHL      | PA11-PHLY<br>PA12-PHLY | 6-DIGIT<br>SAP-SUPPLIER NO. | ACC. TO JED-226,<br>METHOD B5<br>(YYWW) | ACC. TO JED-369,<br>HEIGHT APPROX. 5 mm,<br>IN A CONTRASTING COLOR<br>APPROX. EVERY 300 TO<br>400 mm | 22.43 g/m<br>1.12 kg PER ROLL | BLACK  |

MARKING: **WABCO** DIN 74324 - [ ] - [ ] - [ ] - [ ]

MEDIUM: AIR  
 MASS: SEE TABLE  
 COLOUR: SEE TABLE

- \* THERMAL RANGE OF APPLICATION: ACC. TO DIN 74324
- \* SHORT-TERM RESISTANCE TO HEAT: ACC. TO DIN 74324
- \* PERMISSIBLE WORKING PRESSURE: ACC. TO DIN 74324



GENERAL SPECIFICATIONS: DIN 74324; JED-226; JED-271; JED-367; JED-369

|   |           |                  |             |                 |          |                                 |
|---|-----------|------------------|-------------|-----------------|----------|---------------------------------|
| General Specification: JED-334-0; JED-762 |           | Copyright WABCO® |             | <b>WABCO</b>    |          |                                 |
| Further Technical Data: 893 000 001 0     |           | Date             | Signature   |                 |          |                                 |
| Doc. Code:                                | Sheet: To | 2012-07-12       | Nerling     | Pipe            |          |                                 |
| General Tolerances JED-261                |           | Checked          |             |                 |          |                                 |
| Range of Nominal Dimensions ( ± mm)       |           | 2012-08-23       | Stephan     |                 |          |                                 |
| Class 1)                                  | ≤ 50      | > 50 ≤ 180       | > 180 ≤ 400 | > 400           | ±3°      |                                 |
| Fine                                      | 0.5       | 1.0              | 1.5         | 2.0             |          |                                 |
| Medium                                    | 1.0       | 2.0              | 3.0         | 4.0             |          |                                 |
| Coarse                                    | 2.0       | 3.5              | 5.0         | 6.5             |          |                                 |
| Tapped Holes acc.                         |           | Kaufmann         |             |                 |          |                                 |
| 1) Tolerance Class Applied Crossmarked    |           | Mass             | Scale       | Material No.    |          | Date of first issue: 2012-08-23 |
|   |           | A 2              | Pro/E       | 828 251 971 6   |          | Doc.Code Language Sheet         |
|   |           |                  |             | 005             | EN       | 1/1                             |
|   |           |                  |             | ECN-No.         | Revision | Techn. Resp.                    |
|   |           |                  |             | -               | -        | 5690                            |
|   |           |                  |             | Replacement for |          |                                 |
|   |           |                  |             | 100mm           |          |                                 |

\* INDICATED VALUES ARE GUIDELINE VALUES  
 \*\* SEE RELEASE OF SUPPLIER, DOC CODE 050