

ca. 1.32x10³ cm³
ca. 1.92x10³ cm³
pe 4.7 ±0.3 bar

MEDIUM : AIR
MEDIUM : LUFT
FLUIDE : AIR
FLUIDO : ARIA

NOMINAL DIAMETER : MIN Ø7.0 mm
NENNWEITE : MIN Ø7.0 mm
DIAMETRE NOMINAL : MIN Ø7.0 mm
DIAMETRO Nominale : MIN Ø7.0 mm

WIDTH ACROSS FLATS
SCHLUSSELWEITE
SURPLATS
LARGHEZZA IN CHIAVE

THERMAL RANGE OF APPLICATION :
THERMISCHER ANWENDUNGSBEREICH : -40°C...+80°C
BAMME D'APPLICATION THERMIQUE :
CAMPO DI APPLICAZIONE TERMICA :



PORT : SERVICE BRAKING SYSTEM, WORKING PRESSURE : Pe max. = 10.2 bar (TEMPORARILY : Pe max. = 13 bar)
ANSCHLUSS : 11 BETRIEBSBREMSEANLAGE, BETRIEBSDRUCK (KURZZEITIG : Pe max. = 13 bar)
ORIFICE : DISPOSITIF DE FREINAGE DE SERVICE, PRESSION D'UTILISATION (DE COURTE DUREE : Pe max. = 13 bar)
ORIFIZIO : DISPOSITIVO DI FRENATURA DI SERVIZIO, PRESSIONE DI ESERCIZIO (BREVE TEMPO SOLO : Pe max. = 13 bar)

PORT : SPRING BRAKE CYLINDER, WORKING PRESSURE : Pe max. = 8.5 bar (TEMPORARILY : Pe max. = 11 bar)
ANSCHLUSS : 12 FEDERSPEICHERZYLINDER, BETRIEBSDRUCK (KURZZEITIG : Pe max. = 11 bar)
ORIFICE : CYLINDRE A RESSORT, PRESSION D'UTILISATION (DE COURTE DUREE : Pe max. = 11 bar)
ORIFIZIO : CILINDRO A MOLLA, PRESSIONE DI ESERCIZIO (BREVE TEMPO SOLO : Pe max. = 11 bar)

OPEN BREATHER HOLE
OFFEN ATMUNGSBOHRUNG
OUVERT TROU RENIFLEUR
APERTO FORO RESPIRATORE

DEFLECTION : 6° AT STROKE
AUSLENKUNG : 6° BEI HUB
DEFLEXION : 6° A COURSE
DEVIATION : 6° A CORSA

SEE TECHNICAL INFORMATION SHEET :
SIEHE KONSTRUKTIONSLATT : 826 102 526 3
VOIR NOTICE TECHNIQUE
VEDERE FASCICOLO DESCRITTI



DELIVERY
ANLIEFERUNG
LIVRAISON
FORNITURA

RELEASE POSITION
LOESESTELLUNG
POSITION DE DESSERRAGE
POSIZIONE DI RILASCIO

DRIVING POSITION
FAHRTSTELLUNG
POSITION DE MARCHÉ
POSIZIONE DI MARCIA

General Specification: JED-334-0		Copyright: WABCO®	
Further Technical Data:		Date: 2007-03-20	
Doc. Code:	Sheet: 1	To: 1	Signature: Dobruski
General Tolerances: ISO-201		2007-03-21: Sauberski	
Range of Nominal Dimensions (L in mm)		Sauberski	
Class	11	±0.10	±0.15
File	0.5	1.0	1.5
Medium	1.0	2.0	3.0
Coarse	2.0	3.5	5.0
Trapped Holes acc. JED-102	Tolerance Class Applied: Overmoulded		
Size of Revision:	A 0		
925 377 200 0		925 377 200 0	
1:1		1:1	
A 0		525	
925 377 200 0		925 377 200 0	
1:1		1:1	
A 0		525	