


SURFACE PROTECT. OBERFL. SCHUTZ		MEDIUM : AIR	NOMINAL DIAMETER : MIN Ø8.5	WIDTH ACROSS FLATS SW SCHLÜSSELWEITE
I JED-240-4		MEDIUM : LUFT	NENNWEITE : MIN Ø8.5	SW SCHLÜSSELWEITE
II JED-256-1		FLUIDE : AIR	DIAMETRO NOMINALE :	SURPLATS LAGHEZZA IN CHIAVE
III JED-371		FLUIDO : ARIA	DIAMETRO NOMINALE :	LAGHEZZA IN CHIAVE
IV AL JED-259		THERMAL RANGE OF APPLICATION : THERMISCHER ANWENDUNGSBEREICH : -40°C...+80°C		
V RUBBER / PLASTIC		BAMME D'APPLICATION TERMIQUE : CAMPO DI APPLICAZIONE TERMICA :		
VI MS		PORT : SERVICE BRAKING SYSTEM, WORKING PRESSURE : ANSCHLUSS : 11 BETRIEBSBREMSANLAGE, BETRIEBSDRUCK : Pe max. = 10.2 bar (TEMPORARILY : Pe max. = 13 bar)		
VII JED-240-2		ORIFICE : DISPOSITIF DE FREINAGE DE SERVICE, PRESSION D'UTILISATION : ORIFIZIO : DISPOSITIVO DI FRENATURA DI SERVIZIO, PRESSIONE DI ESERCIZIO : (DE COURTE DUREE : (BREVE TEMPO SOLO :		
TECHNICAL DATA TECHNISCHE DATEN		PORT : SPRING BRAKE CYLINDER, WORKING PRESSURE : ANSCHLUSS : 12 FEDERSPEICHERZYLINDER, BETRIEBSDRUCK : Pe max. = 8.5 bar (TEMPORARILY : Pe max. = 11 bar)		
VIII		ORIFICE : CYLINDRE A RESSORT, PRESSION D'UTILISATION : ORIFIZIO : CILINDRO A MOLLA, PRESSIONE DI ESERCIZIO : (DE COURTE DUREE : (BREVE TEMPO SOLO :		





DEFLECTION : 6° AT STROKE
AUSLENKUNG : 6° BEI HUB 0 MM
DEFLEXION : A COURSE
DEVIAZIONE : A CORSA

DELIVERY ANLIEFERUNG LIVRACION FORNITURA

RELEASE POSITION LOESESTELLUNG POSITION DE DESSERRAGE POSIZIONE DI RILASCIO


DRIVING POSITION FAHRTSTELLUNG POSITION DE MARCHÉ POSIZIONE DI MARCIA

VARINAT ABWÄNDLUNG VARIANTE VARIANTE



DRIVING POSITION, TIGHTENING WITH : FAHRTSTELLUNG, ANZIEHEN MIT : M= 25 Nm
POSITION DE MARCHÉ, SERRAGE AVEC :
POSIZIONE DI MARCIA, SERRAGGIO CON :

RELEASE POSITION, RELEASING WITH : LOESESTELLUNG, LOSEN MIT : M= max. 80 Nm
POSITION DE DESSERRAGE, DESSERRAGE AVEC :
POSIZIONE DI RILASCIO, DISSERRAGGIO :



925 491 010 0	925 491 011 0	925 491 012 0	925 491 013 0

925 491 013 0	21027734	-	8.4	58	126
925 491 012 0	21027732	-	8.4	58	126
925 491 011 0	21027725	-	8.4	58	126
925 491 010 0	21027722	-	8.4	58	126
WABCO	VOLVO RENAULT	MASS GEWICHT MASSE MASSA (kg)	L	L1	
	CUSTOMER'S NO. KUNDEN-NR. NO. CLIENTE				

General Specification: JED-334-0	Copyright: WABCO	WABCO
Further Technical Data	Date: 2006-11-30	Structure: TALKO
Doc. Code: 2006-11-30	Doc. Code: 2007-01-03	Doc. Code: 24/24
General Tolerances: ISO-201	Range of Nominal Dimensions (± mm)	Material No.:
Class II	+0.50 -0.10	WABCO No. New: 925 491 010 0
Class III	+0.50 ±0.10 (-0.00) -0.400	Doc. Code: Language: Sheet
Class IV	0.25 0.10 0.15 0.20	653 1/1
Class V	1.0 2.0 3.0 4.0 ±0.3	653 1/1
Class VI	2.0 3.5 5.0 6.5	653 1/1
Class VII	1.0 1.5	653 1/1
Class VIII	1.0 1.5	653 1/1
Class IX	1.0 1.5	653 1/1
Class X	1.0 1.5	653 1/1
Class XI	1.0 1.5	653 1/1
Class XII	1.0 1.5	653 1/1
Class XIII	1.0 1.5	653 1/1
Class XIV	1.0 1.5	653 1/1
Class XV	1.0 1.5	653 1/1
Class XVI	1.0 1.5	653 1/1
Class XVII	1.0 1.5	653 1/1
Class XVIII	1.0 1.5	653 1/1
Class XIX	1.0 1.5	653 1/1
Class XX	1.0 1.5	653 1/1