






TORQUE:  
ANZUGSMOMENT: MAX. M=24Nm  
COUPLE DE SERRAGE:  
COPPIA DI SERRAGGIO:



DESIGN PERMISSIBLE  
AUSFUEHRUNG ZULAESSIG  
REALISATION ADMISE  
DISEGNO AMMISSIBILE

DATA MATRIX CODE  
DATENMATRIXCODE  
CODE DE MATRICE DE DONNEES  
CODICE MATRICE DATI

NAMEPLATE  
DETAILS

MANUFACTURING PLANT:  
PRODUKTIONSSTAETTE: JED-225  
LIEU DE FABRICATION:  
LUOGO DI FABRICAZIONE:

ProVia IDENTIFICATION NUMBER  
ProVia TEILE NUMMER  
NUMERO D'IDENTIFICATION ProVia  
NUMERO D'IDENTIFICAZIONE


WEEK / YEAR OF MANUFACTURE  
FERTIGUNGSWOCHE / JAHR  
SEMAINE / ANNEE DE FABRICATION  
SETTIMANA / ANNO DELLA FABRICAZIONE

1 SUPPLY  
VORRAT  
ALIMENTATION  
ALIMENTAZIONE

2 DELIVERY PRESSURE  
AUSGESTEUERTER DRUCK  
PRESSION DELIVREE  
PRESSIONE EROGATA

3 EXHAUST  
ENTLUEFTUNG  
ECHAPPEMENT  
SCARICO

4 CONTROL PRESSURE  
STEUERDRUCK  
PRESSION DE COMMANDE  
PRESSIONE DI COMANDO



TORQUE FOR CONNECTIONS:  
ANZUGSMOMENT FUER EINSCHRAUBSTUTZEN:  
COUPLE DE SERRAGE DES RACCORDS:  
COPPIA DI SERRAGGIO DEI RACCORDI:

M16x1.5 : M max. = 34 Nm  
M22x1.5 : M max. = 53 Nm

TEMPORARILY:  
KURZZEITIG:  
DE COURTE DUREE:  
BREVE TEMPO SOLO:

MAX.  $p_e$  = 13 bar

SUPPLY PRESSURE:  
VORRATSDRUCK:  
PRESSION D' ALIMENTATION:  
PRESSIONE DI ALIMENTAZIONE:

MAX.  $p_e$  = 13 bar

PERMISSIBLE INSTALLATION:  
ZULAESSIGE EINBAULAGE:  
POSITION D' INSTALLATION ADMISE:  
POSIZIONE DI MONTAGGIO AMMESSA:

$\pm 90^\circ$

MEDIUM : AIR  
MEDIUM : LUFT  
FLUIDE : AIR  
FLUIDO : ARIA

WORKING PRESSURE:  
BETRIEBSDRUCK:  
PRESSION DE SERVICE:  
PRESSIONE D' ESERCIZIO:

MAX.  $p_e$  = 10 bar

THERMAL RANGE OF APPLICATION:  
THERMISCHER ANWENDBEREICH:  
GAMME D' APPLICATION THERMIQUE:  
CAMPO DI APPLICAZIONE TERMICA:

-40° . . . +80° C

General Specification: ISO 8015, JED-334-1, Size ISO 14405 LP		Copyright ZF®		Date		Signature	
Further Technical Data: Product Specification		Date		Drawn		Signature	
Doc. Code: 035		Sheet: 1 To 10		2025-07-16		G Vishnu	
General Tolerances JED-261		Checked		2025-07-16		Pawlowski	
Range of Nominal Dimensions ( ± mm)		Dimensions in mm		Mass		Scale	
Class 1)	≤ 50	> 50 ≤ 180	> 180 ≤ 400	> 400	0.64 kg	1:1 (2:1)	Material No.
Fine	±0.5	±1	±1.5	±2			PRO 011 008 0
Medium	±1	±2	±3	±4			005 ML 1/1
Coarse	±2	±3.5	±5	±6.5			ECN-No. 517006
Tapped Holes acc. JED-388		1) Tolerance Class Applied Crossmarked		A 2 CREO		Revision 1 x E	
						Techn. Resp. 5220_AM	
						Replacement for -	

Non e permesso copiare, o terzi o riprodurre questo documento, ne utilizzare il contenuto o renderlo comunque noto o terzi senza autorizzazione esplicita. Ogni infrazione costituisce un evidente abuso e comportera il risarcimento dei danni subiti. E' fatta riserva di tutti i diritti derivanti da brevetti o modelli.  
 Copring of this document and giving it to others and the use or communication of the contents hereof, are forbidden without express authority. Contention of this restriction will constitute an evident abuse and result in a liability to the payment of damages. All rights are reserved in the event of the grant of patent or registration of a utility model or design. This document is the subject of copyright.  
 Toute communication ou reproduction de ce document, toute exploitation ou communication de son contenu sont interdites, sauf autorisation expresse. Tout non-respect de cette regle constitue un abus evident et expose son auteur au versement de dommages et interets. Tous droits de proprieete industrielle reserves, notamment en matiere de brevets et de modesles.  
 Weitergabe sowie Vervielfaltigung dieser Unterlagen, Verwertung und Mitteilung ihres Inhalts nicht gestattet, soweit nicht ausdrücklich zugestanden. Zuwiderhandlungen stellen einen offensichtlichen Missbrauch dar und verpflichten zu Schadensersatz. Alle Rechte fuer den Fall der Patentierung oder Gebrauchsmuster-Eintragung vorbehalten.

dnr: PRO010080...037 Version: E-4 / state: Approved / mfr: PRO010080...A02